

• **Name:** Bo-Moon Shin

• **Current Position:** Professor, Medical School, Inje University

• **Country:** South Korea

• **Educational Background:**

MD,BS, Seoul National University (1985)

PhD, Seoul National University (1994)

• **Professional Experience:**

Professor of Inje University (1992-present)

Head of Infection Control Office, Sanggye Paik Hospital (2003-2010)

• **Main Scientific Publications:**

Hae-Sun Chung, Jeong Su Park, Bo-Moon Shin, Laboratory Diagnostic Methods for *Clostridioides difficile* Infection: the First Systematic Review and Meta-analysis in Korea. Ann Lab Med 2021; 41:171-180.

Hae-Sun Chung, Jeong Su Park, Bo-Moon Shin, Laboratory Diagnosis of *Clostridium difficile* Infection in Korea: the First National Survey. Ann Lab Med 2019;39:317-321

Shin BM, Lee EJ, Moon JW, Lee SY. Evaluation of the VIDAS glutamate dehydrogenase assay for the detection of *Clostridium difficile*. Anaerobe 2016;40:68-72.

Shin BM, Yoo SM, Shin WC. Evaluation of Xpert *C. difficile*, BD MAX Cdiff, IMDx *C. difficile* for Ab bott m2000, and Illumigene *C. difficile* assays for direct detection of toxigenic *Clostridium difficile* in stool specimens. Ann Lab Med 2016;36:131-7.

Shin S, Kim M, Kim M, Lim H, Kim H, Lee K, et al. Evaluation of the Xpert *Clostridium difficile* assay for the diagnosis of *Clostridium difficile* infection. Ann Lab Med 2012;32:355-8.

Shin BM, Mun SJ, Yoo SJ, Kuak EY. Comparison of BD GeneOhm Cdiff and Seegene Seeplex ACE PCR assays using toxigenic *Clostridium difficile* culture for direct detection of *tcdB* from stool specimens. J Clin Microbiol 2012;50:3765-7.